








DATASHEET


2-Post Frame

A sturdy mounting frame solution to house IT equipment and provide maximum cabling access and capacity.

Cross-Guard offers a range of open frames that are ideally suited to telecommunications rooms for copper/fibre patching. The open access design allows for ease of installation and provides a secure connectivity solution for CAT 6A & CAT 7 Cabling.

Primary Features

-  Bolt together construction
-  2 x Vertical 19" supports
-  2 x Pre-drilled base mounting angles (bolts not supplied)
-  2 x top support angles
-  Supplied in a simple kit for easy installation



Options

Height	42U, 45U, 47U, 52U
Cable Management	Hinged covered cable managers supplied separately. See following page for details.
Finish	Black (White, Light Grey or other finishes available on request)



CABLE MANAGEMENT AND BAYING


2-Post Frame

Vertical Cable Managers

Our 2-Post Vertical Cable Managers are available in a range of unit heights and in two standard widths.

The cable managers are designed to bolt to the sides of the 2-post rack frames and can be configured either in single or double configurations.




They are supplied with dual hinged split covers for ease of operation and improved cable management.



2-Post Rack Baying

Our 2-Post rack offers a simple baying solution with many different variations.


The cable managers are simply bolted to each frame. These can also be fitted with back to back managers as per the diagram below.





2-Post Frame

DRAWINGS



HEIGHT	HEIGHT - A (mm)
42U	2000 mm
45U	2133 mm
47U	2222 mm
52U	2444 mm

