








DATASHEET

VENTIS ACOUSTIC

Ventis Acoustic provides premium noise reduction for IT and server environments, combining high-performance cooling with advanced soundproofing.

It's the ideal solution for offices, studios, and customer-facing environments that need performance without disruptive noise.

Primary Features

-  Knock out panels in base for cable entry
-  Fitted with jacking feet as standard (heavy-duty castors are available)
-  Static load rating 1500kg (evenly distributed)
-  30dBA noise reduction
-  Fans fitted to front door for active cooling





TECHNICAL SPECIFICATION

VENTIS ACOUSTIC

- ◆ Fully adjustable 19 inch mounting angles
- ◆ Knock-out panels fitted to base and top for cable entry
- ◆ 3-point locking on front and rear doors
- ◆ 1.5mm mild steel frame
- ◆ Insulation fitted to interior facing of side panels and doors for multi-directional sound damping
- ◆ Venting on top of doors for added ventilation
- ◆ 30dBA noise reduction



Options

Height	9U, 12U, 15U, 18U, 24U, 27U, 33U, 36U, 42U, 45U, 47U
Width	600mm, 800mm
Depth	800mm, 1000mm
Finish	Black (RAL9005), White (RAL9010) Alternatives available on request
Base	Transit castors fitted as standard. Jacking feet, Heavy-duty castors, and plinths are also available



DRAWINGS


VENTIS ACOUSTIC



Top panel



Rear aspect




Front aspect




DRAWINGS


VENTIS ACOUSTIC



Top panel (inner)



Bottom panel (inner)



Venting (door top facing)